


Updating the PRISCUS list of potentially inappropriate medications for the elderly - Asking the right questions to consult the oracle(s) of Delphi Nina-Kristin Mann¹, Tim Mathes², Andreas Sönnichsen³, Anette Zawinell⁴, Dawid Pieper², Petra A. Thürmann^{1,5}

¹Department of Clinical Pharmacology, School of Medicine, Faculty of Health, Witten, Germany, nina-kristin.mann@uni-wh.de ²Institute for Research in Operative Medicine, School of Medicine, Faculty of Health, Witten/Herdecke University, Cologne, Germany ³Department of General Practice and Family Medicine, Center for Public Health, Medical University of Vienna, Vienna, Austria ⁴Research Institute of the Local Health Care Funds (WIdO), Berlin, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacology, Helios University Hospital Wuppertal, Germany ⁵Philipp Klee-Institute for Clinical Pharmacolog

- avoid in older patients
- drug market
- up-to-date

available evidence





1 Holt S, Schmiedl S, Thürmann PA. Potentially inappropriate medications in the elderly: the PRISCUS list. Dtsch Arztebl Int. 2010 Aug;107(31-32):543-51. 2 Martinez YV, Renom-Guiteras A, Reeves D, et al. A set of systematic reviews to help reduce inappropriate prescribing to older people: study protocol. BMC Geriatr. 2017 Oct 16;17(Suppl 1):231. 3 McMillan SS, King M, Tully MP. How to use the nominal group and Delphi techniques. Int J Clin Pharm. 2016 Jun;38(3):655-62. 4 By the American Geriatrics Society 2015 Beers Criteria Update Expert Panel. American Geriatrics Society 2015 Updated Beers Criteria for Potentially Inappropriate Medication Use in Older Adults. J Am Geriatr Soc. 2015 Nov;63(11):2227-46.





Wissenschaftliches Institut der AOK

und Forschung

01KX1812